Final Product Information:	
Product Form	Live Resin
Strain	Tropsanto 90
Batch ID	**LR.T90.43.2026**
Harvest Date	9/29/2026
Manufactured Date	10/22/2026
Extraction Solvent	Butane
Distribution Chain:	
Extracted By	Ponderosa Botanical Care Inc DBA Canamo - 00000109ESVM44878444
Manufactured By	Cardinal Square, Inc - 00000114DCPD00232092
Packaged By	Cardinal Square, Inc - 00000114DCPD00232092
Distributed by	Cardinal Square, Inc - 00000114DCPD00232092
Arizona Dept. of Health Services Warning:	
	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
	Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery.
	Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection.
	Marijuana use may affect the health of a pregnant woman and the unborn child.
	KEEP OUT OF REACH OF CHILDREN.

	Starting Flower Material Information				
Form of Starting Material	***Batch ID***	***Strain Name***	***Harvest Date***	***(License Name & Number) of Cultivator***	***Batch Number of Finished Good / Bulk Material***
Flower	Tropsanto 90.B19B.40.2026.(FRESH FROZEN)	Tropsanto 90	09/29/2026	Health Center of Cochise - 00000099ESVM28064808	TOL261006-001

	Starting Concentrate Material Information					
Form of Starting Material	***Batch ID***	***Strain Name***	***Manufactured Date***	***Extraction Solvent***	***(License Name & Number) of Manufacturer***	***Batch Number of Finished Good / Bulk Material***
Live Resin	TOL261006-001	Tropsanto 90	10/13/2026	Butane	Ponderosa Botanical Care Inc DBA Canamo - 00000109ESVM44878444	LR.T90.43.2026

Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775


LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/27/2026	Complete
Terpenes	10/29/2026	Complete
Residual Solvents	10/28/2026	Pass
Microbials	10/28/2026	Pass
Mycotoxins	10/27/2026	Pass
Pesticides	10/27/2026	Pass
Heavy Metals	10/27/2026	Pass

Cannabinoids by SOP-6

Complete

72.7278 %	ND	76.9992 %	12.5276%
Total THC	Total CBD	Total Cannabinoids (Q3)	Total Terpenes (Q3)

Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	3.1185	31.185	
Δ9-THC		0.1000	69.9929	699.929	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	0.2504	2.504	
CBDa		0.1000	ND	ND	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	0.5458	5.458	
CBG		0.1000	2.4002	24.002	
CBC		0.1000	0.6914	6.914	
(6aR,9S)-Δ10-THC		0.1000	ND	ND	
(6aR,9R)-Δ10-THC		0.1000	ND	ND	
Total THC			**72.7278**	**727.2785**	
Total CBD			**ND**	**ND**	
Total			**76.9992**	**769.9920**	**Q3**

Date Tested: 10/27/2026 07:00 am

This CoA's Total THC% is compliant with the July 1st 2026 version of the ruleset.

Anthony Settanni
Lab Director
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass
Acephate	0.2000	0.4000	ND	I1	Pass
Acetamiprid	0.1000	0.2000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass

Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM		
Hexythiazox	0.5000	1.0000	ND		Pass
Imazalil	0.1000	0.2000	ND		Pass
Imidacloprid	0.2000	0.4000	ND		Pass
Kresoxim Methyl	0.2000	0.4000	ND		Pass
Malathion	0.1000	0.2000	ND		Pass
Metalaxyl	0.1000	0.2000	ND		Pass
Methiocarb	0.1000	0.2000	ND		Pass
Methomyl	0.2000	0.4000	ND		Pass
Myclobutanil	0.1000	0.2000	ND		Pass
Naled	0.2500	0.5000	ND		Pass
Oxamyl	0.5000	1.0000	ND		Pass
Paclobutrazol	0.2000	0.4000	ND		Pass
Permethrins	0.1000	0.2000	ND		Pass
Phosmet	0.1000	0.2000	ND		Pass
Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Prallethrin	0.1000	0.2000	ND		Pass
Propiconazole	0.2000	0.4000	ND		Pass
Propoxur	0.1000	0.2000	ND		Pass
Pyrethrins	0.5000	1.0000	ND		Pass
Pyridaben	0.1000	0.2000	ND		Pass
Spinosad	0.1000	0.2000	ND		Pass
Spiromesifen	0.1000	0.2000	ND		Pass
Spirotetramat	0.1000	0.2000	ND		Pass
Spiroxamine	0.2000	0.4000	ND		Pass
Tebuconazole	0.2000	0.4000	ND		Pass
Thiacloprid	0.1000	0.2000	ND		Pass
Thiamethoxam	0.1000	0.2000	ND		Pass
Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 10/27/2026 07:00 am

Anthony Settanni
Lab Director
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	100.0	< 10 CFU/g	Pass	

Date Tested: 10/28/2026 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	µg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	
Ochratoxin A	5	10	20	ND	Pass	I1

Date Tested: 10/27/2026 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 10/27/2026 07:00 am

Anthony Settanni
Lab Director
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 10/28/2026 07:00 am

Anthony Settanni
Lab Director
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092


Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Terpenes

Analyte	LOQ	Result	Result	Q
	%	%	mg/g	
β-Caryophyllene	0.0010	5.0992	50.992	Q3
α-Humulene	0.0010	2.7770	27.770	Q3
β-Myrcene	0.0010	1.3798	13.798	Q3
D,L-Limonene	0.0010	1.2644	12.644	Q3
Linalool	0.0010	0.6462	6.462	Q3
α-Bisabolol	0.0010	0.3431	3.431	Q3
trans-Nerolidol	0.0010	0.2566	2.566	Q3
Fenchone	0.0010	0.1454	1.454	Q3
α-Pinene	0.0010	0.1359	1.359	Q3
β-Pinene	0.0010	0.1181	1.181	Q3
α-Terpineol	0.0010	0.1102	1.102	Q3
Terpinolene	0.0010	0.1002	1.002	Q3
Camphene	0.0010	0.0326	0.326	Q3
trans-beta-Ocimene	0.0010	0.0315	0.315	Q3
D,L-Borneol	0.0010	0.0276	0.276	Q3
Caryophyllene Oxide	0.0010	0.0238	0.238	Q3
Endo-Fenchyl Alcohol	0.0010	0.0159	0.159	Q3
α-Terpinene	0.0010	0.0076	0.076	Q3
γ-Terpinene	0.0010	0.0071	0.071	Q3
α-Phellandrene	0.0010	0.0055	0.055	Q3
3-Carene	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3
Carvone	0.0010	ND	ND	Q3
Cedrol	0.0010	ND	ND	Q3
cis-Farnesol	0.0010	ND	ND	Q3

Analyte	LOQ	Result	Result	Q
	%	%	mg/g	
cis-Nerolidol	0.0010	ND	ND	Q3
Citronellol	0.0010	ND	ND	Q3
Eucalyptol	0.0010	ND	ND	Q3
Geraniol	0.0010	ND	ND	Q3
Geranyl Acetate	0.0010	ND	ND	Q3
Guaiol	0.0010	ND	ND	Q3
Isoborneol	0.0010	ND	ND	Q3
Isobornyl Acetate	0.0010	ND	ND	Q3
Isopulegol	0.0010	ND	ND	Q3
m-Cymene	0.0010	ND	ND	Q3
Menthol	0.0010	ND	ND	Q3
L-Menthone	0.0010	ND	ND	Q3
Nerol	0.0010	ND	ND	Q3
Nootkatone	0.0010	ND	ND	Q3
o,p-Cymene	0.0010	ND	ND	Q3
Octyl Acetate	0.0010	ND	ND	Q3
Phytane	0.0010	ND	ND	Q3
Piperitone	0.0010	ND	ND	Q3
Pulegone	0.0010	ND	ND	Q3
Sabinene	0.0010	ND	ND	Q3
Sabinene Hydrate	0.0010	ND	ND	Q3
Safranal	0.0010	ND	ND	Q3
Terpinen-4-ol	0.0010	ND	ND	Q3
Thymol	0.0010	ND	ND	Q3
trans-Citral	0.0010	ND	ND	Q3
Valencene	0.0010	ND	ND	Q3
Total		**12.5276**	**125.276**	

Primary Aromas



Date Tested: 10/29/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.

Anthony Settanni
Lab Director
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:

Bryant Kearl
Chief Scientific Officer
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.

LR.T90.43.2026

Sample ID: 2610APO5037.24159
Strain: Tropsanto 90
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Tropsanto 90.B19B.40.2026.(FRESH FROZEN)

Collected: 10/26/2026 09:36 am
Received: 10/26/2026
Completed: 10/29/2026
Batch #: LR.T90.43.2026
Harvest Date: 09/29/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 10/22/2026
Production/Manufacture Method: Butane

Customer Supplied Information:

Bryant Kearl
Chief Scientific Officer
10/29/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs. Testing results were obtained according to requirements in the quality assurance plan in R9-17-404.05, in the applicable standard operating procedure, and in R9-17-404.03 or R9-17-404.04.