

Final Product Information:	
Product Form	Live Resin Vape
Strain	Ultra Sour Dubble Diesel 20
Batch ID	LR.USDD20.12.2026
Harvest Date	2/17/2026
Manufactured Date	3/16/2026
Extraction Method	Butane
Distribution Chain:	
Manufactured By	Cardinal Square, Inc DBA Session - 00000114DCPD00232092
Packaged By	Cardinal Square, Inc DBA Session - 00000114DCPD00232092
Distributed by	Cardinal Square, Inc - 00000114DCPD00232092
Arizona Dept. of Health Services Warning:	
	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
	Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery.
	Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection.
	Marijuana use may affect the health of a pregnant woman and the unborn child.
	KEEP OUT OF REACH OF CHILDREN.

Starting Flower Material Information					
<i>Form of Starting Material</i>	<i>Batch ID</i>	<i>Strain Name</i>	<i>Harvest Date</i>	<i>(License Name & Number) of Cultivator</i>	<i>Batch Number of Finished Good / Bulk Material</i>
Flower	Ultra Sour Dubble Diesel 20.B17B.8.2026.(FRESH FROZEN)	Ultra Sour Dubble Diesel 20	02/17/2026	Health Center of Cochise - 00000099ESVM28064808	TOL260304-002
Flower	Ultra Sour Dubble Diesel 20.B17B.8.2026.(FRESH FROZEN)	Ultra Sour Dubble Diesel 20	02/17/2026	Health Center of Cochise - 00000099ESVM28064808	TOL260302-196

Starting Concentrate Material Information						
<i>Form of Starting Material</i>	<i>Batch ID</i>	<i>Strain Name</i>	<i>Manufactured Date</i>	<i>Extraction Method</i>	<i>(License Name & Number) of Manufacturer</i>	<i>Batch Number of Finished Good / Bulk Material</i>
Live Resin	TOL260304-002	Ultra Sour Dubble Diesel 20	3/6/2026	Butane	Ponderosa Botanical Care, Inc DBA Canamo - 00000109ESVM44878444	LR.USDD20.12.2026
Live Resin	TOL260302-196	Ultra Sour Dubble Diesel 20	3/4/2026	Butane	Soothing Ponderosa, LLC DBA Canamo - 00000094DCTJ00667966	LR.USDD20.12.2026


LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/20/2026	Complete
Terpenes	03/23/2026	Complete
Residual Solvents	03/20/2026	Pass
Microbials	03/23/2026	Pass
Mycotoxins	03/20/2026	Pass
Pesticides	03/20/2026	Pass
Heavy Metals	03/20/2026	Pass

Cannabinoids by SOP-6

Complete



Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	ND	ND	
Δ9-THC		0.1000	74.5288	745.288	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	0.2596	2.596	
CBDa		0.1000	ND	ND	
CBD		0.1000	0.1790	1.790	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	0.1257	1.257	
CBGa		0.1000	ND	ND	
CBG		0.1000	3.5594	35.594	
CBC		0.1000	0.7656	7.656	
Total THC			74.5288	745.2882	
Total CBD			0.1789	1.7895	
Total			79.4180	794.1803	

Date Tested: 03/20/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND	R1	Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclbutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide					
Daminozide	0.5000	1.0000	ND		Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 03/20/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092
Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 03/23/2026 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	µg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	R1
G2	5	10	20	ND	Pass	
Total Aflatoxins	5	10	20	ND	Pass	R1
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 03/20/2026 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 03/20/2026 12:00 am



Anthony Settanni

Anthony Settanni
Lab Director
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	V1
Benzene	1.0000	2.0000	ND	Pass	V1L1
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	V1
Dichloromethane	231.0000	600.0000	ND	Pass	V1
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	V1
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	V1
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	V1
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	V1
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	V1

Date Tested: 03/20/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253

Strain: Ultra Sour Dubble Diesel 20

Matrix: Concentrates & Extracts

Type: Live Resin

Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am

Received: 03/19/2026

Completed: 03/24/2026

Batch #: LR.USDD20.12.2026

Harvest Date: 02/17/2026

Client

Session

Lic. # 00000114DCPD00232092

Lot #:

Production/Manufacture Date: 03/16/2026

Production/Manufacture Method: Butane

Terpenes

Analyte	LOQ	Result	Result	Q	Analyte	LOQ	Result	Result	Q
	%	%	mg/g			%	%	mg/g	
D,L-Limonene	0.0010	1.8944	18.944	Q3	Cedrol	0.0010	ND	ND	Q3
β-Myrcene	0.0010	1.1427	11.427	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.8934	8.934	Q3	γ-Terpinene	0.0010	ND	ND	Q3
Linalool	0.0010	0.3662	3.662	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.2868	2.868	Q3	Guaiol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.2184	2.184	Q3	Isoborneol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.2020	2.020	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.1892	1.892	Q3	Isopulegol	0.0010	ND	ND	Q3
cis-Farnesol	0.0010	0.1599	1.599	Q3	m-Cymene	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.1574	1.574	Q3	Menthol	0.0010	ND	ND	Q3
Citronellol	0.0010	0.0682	0.682	Q3	L-Menthone	0.0010	ND	ND	Q3
Camphene	0.0010	0.0509	0.509	Q3	Nerol	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0429	0.429	Q3	Nootkatone	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.0427	0.427	Q3	o,p-Cymene	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0338	0.338	Q3	Octyl Acetate	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0284	0.284	Q3	Phytane	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0278	0.278	Q3	Piperitone	0.0010	ND	ND	Q3
Eucalyptol	0.0010	0.0215	0.215	Q3	Pulegone	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0122	0.122	Q3	Sabinene	0.0010	ND	ND	Q3
3-Carene	0.0010	ND	ND	Q3	Sabinene Hydrate	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Terpinen-4-ol	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3	Thymol	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3	trans-Citral	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3	trans-Nerolidol	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3	trans-beta-Ocimene	0.0010	ND	ND	Q3
Carvone	0.0010	ND	ND	Q3	Valencene	0.0010	ND	ND	Q3
					Total		5.8388	58.388	

Primary Aromas



Date Tested: 03/23/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.



Anthony Settanni

Anthony Settanni
Lab Director
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

LR.USDD20.12.2026

Sample ID: 2603APO1207.6253
Strain: Ultra Sour Dubble Diesel 20
Matrix: Concentrates & Extracts
Type: Live Resin
Source Batch #: Ultra Sour Dubble Diesel
20.B17B.8.2026.(FRESH FROZEN)

Collected: 03/19/2026 11:57 am
Received: 03/19/2026
Completed: 03/24/2026
Batch #: LR.USDD20.12.2026
Harvest Date: 02/17/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 03/16/2026
Production/Manufacture Method: Butane

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
03/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.