

Final Product Information:	
Product Form	Distillate Vape
Strain	Paris OG
Batch ID	Paris OG.D81.14.2026
Harvest Date	3/6/2026
Manufactured Date	4/7/2026
Extraction Method	Ethanol
Distribution Chain:	
Extracted By	Health Center of Cochise - 00000099ESVM28064808
Manufactured By	Cardinal Square, Inc - 00000114DCPD00232092
Packaged By	Cardinal Square, Inc - 00000114DCPD00232092
Distributed by	Cardinal Square, Inc - 00000114DCPD00232092
Arizona Dept. of Health Services Warning:	
	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
	Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery.
	Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection.
	Marijuana use may affect the health of a pregnant woman and the unborn child.
	KEEP OUT OF REACH OF CHILDREN.

	Starting Flower Material Information					
<i>Form of Starting Material</i>	<i>Batch ID</i>	<i>Strain Name</i>	<i>Harvest Date</i>	<i>(License Name & Number) of Cultivator</i>	<i>Batch Number of Finished Good / Bulk Material</i>	
Flower	AK 1995.B23A.10.2026.	AK 1995	03/06/2026	Health Center of Cochise - 00000099ESVM28064808	D81.14.2026	

	Starting Concentrate Material Information					
<i>Form of Starting Material</i>	<i>Batch ID</i>	<i>Strain Name</i>	<i>Manufactured Date</i>	<i>Extraction Method</i>	<i>(License Name & Number) of Manufacturer</i>	<i>Batch Number of Finished Good / Bulk Material</i>
Distillate	D81.14.2026	SG Distillate	4/1/2026	Ethanol	Cardinal Square, Inc - 00000114DCPD00232092	Paris OG.D81.14.2026


Paris OG.D81.14.2026

Sample ID: 2604APO1599.7977
Strain: Paris OG
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: D81.14.2026

Collected: 04/08/2026 01:53 pm
Received: 04/08/2026
Completed: 04/14/2026
Batch #: Paris OG.D81.14.2026
Harvest Date: 03/06/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 04/07/2026
Production/Manufacture Method: Vacuum Distillation



Summary

Test	Date Tested	Result
Batch		
Cannabinoids	04/13/2026	Complete
Microbials	04/13/2026	Pass

Cannabinoids by SOP-6

Complete

94.1086 %	0.1778 %	99.1287 %	NT
Total THC	Total CBD	Total Cannabinoids ^(Q3)	Total Terpenes ^(Q3)

Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	ND	ND	
Δ9-THC		0.1000	94.1086	941.086	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	0.5713	5.713	
CBDa		0.1000	ND	ND	
CBD		0.1000	0.1778	1.778	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	0.5207	5.207	
CBGa		0.1000	ND	ND	
CBG		0.1000	2.9627	29.627	
CBC		0.1000	0.7876	7.876	
Total THC			94.1086	941.0862	
Total CBD			0.1778	1.7780	
Total			99.1287	991.2870	

Date Tested: 04/13/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Paris OG.D81.14.2026

Sample ID: 2604APO1599.7977
Strain: Paris OG
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: D81.14.2026

Collected: 04/08/2026 01:53 pm
Received: 04/08/2026
Completed: 04/14/2026
Batch #: Paris OG.D81.14.2026
Harvest Date: 03/06/2026

Client
Session
Lic. # 00000114DCPD00232092
Lot #:
Production/Manufacture Date: 04/07/2026
Production/Manufacture Method: Vacuum Distillation

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 04/13/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals by SOP-21

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:



Anthony Settanni

Anthony Settanni
Lab Director
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Paris OG.D81.14.2026

Sample ID: 2604APO1599.7977
Strain: Paris OG
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: D81.14.2026

Collected: 04/08/2026 01:53 pm
Received: 04/08/2026
Completed: 04/14/2026
Batch #: Paris OG.D81.14.2026
Harvest Date: 03/06/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 04/07/2026
Production/Manufacture Method: Vacuum Distillation

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Paris OG.D81.14.2026

Sample ID: 2604APO1599.7977
Strain: Paris OG
Matrix: Concentrates & Extracts
Type: Distillate
Source Batch #: D81.14.2026

Collected: 04/08/2026 01:53 pm
Received: 04/08/2026
Completed: 04/14/2026
Batch #: Paris OG.D81.14.2026
Harvest Date: 03/06/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 04/07/2026
Production/Manufacture Method: Vacuum Distillation

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
04/14/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.