Final Product Information:	
Product Form	Infused Preroll
Strain	Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Batch ID	**USDD20xUSDD20.8.2026**
Harvest Date	1/12/2026
Manufactured Date	02/17/2026
Extraction Method	Butane
Distribution Chain:	
Manufactured By	Health Center of Cochise - 00000099ESVM28064808
Packaged By	Health Center of Cochise - 00000099ESVM28064808
Distributed by	Cardinal Square, Inc - 00000114DCPD00232092
Arizona Dept. of Health Services Warning:	
	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
	Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery.
	Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection.
	Marijuana use may affect the health of a pregnant woman and the unborn child.
	KEEP OUT OF REACH OF CHILDREN.

	Starting Flower Material Information				
Form of Starting Material	***Batch ID***	***Strain Name***	***Harvest Date***	***(License Name & Number) of Cultivator***	***Batch Number of Finished Good / Bulk Material***
Flower	Ultra Sour Dubble Diesel 20.B20A.3.2026.	Ultra Sour Dubble Diesel 20	01/12/2026	Health Center of Cochise - 00000099ESVM28064808	USDD20xUSDD20.8.2026

	Starting Concentrate Material Information					
Form of Starting Material	***Batch ID***	***Strain Name***	***Manufactured Date***	***Extraction Method***	***(License Name & Number) of Manufacturer***	***Batch Number of Finished Good / Bulk Material***
Live Resin	LR.USDD20.5.2026	Ultra Sour Dubble Diesel 20	1/26/2026	Butane	Cardinal Square, Inc - 00000114DCPD00232092	USDD20xUSDD20.8.2026

Apollo Labs
17301 North Perimeter Drive
Scottsdale, AZ 85255
(602) 767-7600
http://www.apollolabscorp.com
Lic# 00000013LCRK62049775

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/20/2026	Complete
Terpenes	02/23/2026	Complete
Residual Solvents	02/23/2026	Pass
Microbials	02/19/2026	Pass
Mycotoxins	02/20/2026	Pass
Pesticides	02/20/2026	Pass
Heavy Metals	02/20/2026	Pass

Cannabinoids by SOP-6

Complete

36.9371 %	ND	43.5001 %	2.9095%
Total THC	Total CBD	Total Cannabinoids (Q3)	Total Terpenes (Q3)

Analyte	LOD	LOQ	Result	Result	Q
	%	%	%	mg/g	
THCa		0.1000	40.0652	400.652	
Δ9-THC		0.1000	1.7999	17.999	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	1.4892	14.892	
CBG		0.1000	0.1458	1.458	
CBC		0.1000	ND	ND	
Total THC			**36.9371**	**369.3713**	
Total CBD			**ND**	**ND**	
Total			**43.5001**	**435.0019**	

Date Tested: 02/20/2026 07:00 am

Anthony Settanni
Lab Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass
Daminozide	0.5000	1.0000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass

Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM		
Hexythiazox	0.5000	1.0000	ND		Pass
Imazalil	0.1000	0.2000	ND		Pass
Imidacloprid	0.2000	0.4000	ND		Pass
Kresoxim Methyl	0.2000	0.4000	ND		Pass
Malathion	0.1000	0.2000	ND		Pass
Metalaxyl	0.1000	0.2000	ND		Pass
Methiocarb	0.1000	0.2000	ND		Pass
Methomyl	0.2000	0.4000	ND		Pass
Myclobutanil	0.1000	0.2000	ND		Pass
Naled	0.2500	0.5000	ND		Pass
Oxamyl	0.5000	1.0000	ND		Pass
Paclobutrazol	0.2000	0.4000	ND		Pass
Permethrins	0.1000	0.2000	ND		Pass
Phosmet	0.1000	0.2000	ND		Pass
Piperonyl Butoxide	1.0000	2.0000	ND		Pass
Prallethrin	0.1000	0.2000	ND		Pass
Propiconazole	0.2000	0.4000	ND		Pass
Propoxur	0.1000	0.2000	ND		Pass
Pyrethrins	0.5000	1.0000	ND		Pass
Pyridaben	0.1000	0.2000	ND		Pass
Spinosad	0.1000	0.2000	ND		Pass
Spiromesifen	0.1000	0.2000	ND		Pass
Spirotetramat	0.1000	0.2000	ND		Pass
Spiroxamine	0.2000	0.4000	ND		Pass
Tebuconazole	0.2000	0.4000	ND		Pass
Thiacloprid	0.1000	0.2000	ND		Pass
Thiamethoxam	0.1000	0.2000	ND		Pass
Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 02/20/2026 07:00 am

Anthony Settanni
Lab Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	Q2
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	Q2

Analyte	LOQ	Limit	Result	Status	Q
	CFU/g	CFU/g	CFU/g		
E. Coli by traditional plating: SOP-13	10.0	100.0	< 10 CFU/g	Pass	Q2

Date Tested: 02/19/2026 12:00 am

Mycotoxins by SOP-22

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	µg/kg	µg/kg	µg/kg	µg/kg		
B1	5	10	20	ND	Pass	
B2	5	10	20	ND	Pass	
G1	5	10	20	ND	Pass	
G2	5	10	20	ND	Pass	R1
Total Aflatoxins	5	10	20	ND	Pass	R1
Ochratoxin A	5	10	20	ND	Pass	

Date Tested: 02/20/2026 07:00 am

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 02/20/2026 07:00 am

Anthony Settanni
Lab Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Residual Solvents by SOP-3

Analyte	LOQ	Limit	Result	Status	Q
	PPM	PPM	PPM		Pass
Acetone	381.0000	1000.0000	ND	Pass	
Acetonitrile	154.0000	410.0000	ND	Pass	
Benzene	1.0000	2.0000	ND	Pass	
Butanes	1914.0000	5000.0000	ND	Pass	
Chloroform	24.0000	60.0000	ND	Pass	
Dichloromethane	231.0000	600.0000	ND	Pass	
Ethanol	1910.0000	5000.0000	ND	Pass	
Ethyl-Acetate	1907.0000	5000.0000	ND	Pass	
Ethyl-Ether	1901.0000	5000.0000	ND	Pass	
n-Heptane	1892.0000	5000.0000	ND	Pass	
Hexanes	115.0000	290.0000	ND	Pass	
Isopropanol	1915.0000	5000.0000	ND	Pass	
Isopropyl-Acetate	1908.0000	5000.0000	ND	Pass	
Methanol	1141.0000	3000.0000	ND	Pass	
Pentane	1923.0000	5000.0000	ND	Pass	
Toluene	343.0000	890.0000	ND	Pass	
Xylenes + Ethyl Benzene	841.0000	2170.0000	ND	Pass	

Date Tested: 02/23/2026 07:00 am

Anthony Settanni
Lab Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Terpenes

Analyte	LOQ %	Result %	Result mg/g	Q
β-Caryophyllene	0.0010	1.3406	13.406	Q3
α-Humulene	0.0010	0.4641	4.641	Q3
D,L-Limonene	0.0010	0.2960	2.960	Q3
Linalool	0.0010	0.2322	2.322	Q3
β-Myrcene	0.0010	0.1914	1.914	Q3
α-Bisabolol	0.0010	0.0960	0.960	Q3
Fenchone	0.0010	0.0654	0.654	Q3
α-Terpineol	0.0010	0.0535	0.535	Q3
β-Pinene	0.0010	0.0388	0.388	Q3
trans-Nerolidol	0.0010	0.0281	0.281	Q3
Caryophyllene Oxide	0.0010	0.0251	0.251	Q3
cis-Farnesol	0.0010	0.0245	0.245	Q3
α-Pinene	0.0010	0.0168	0.168	Q3
Terpinolene	0.0010	0.0153	0.153	Q3
L-Menthone	0.0010	0.0110	0.110	Q3
Valencene	0.0010	0.0108	0.108	Q3
3-Carene	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3
α-Phellandrene	0.0010	ND	ND	Q3
α-Terpinene	0.0010	ND	ND	Q3
α-Thujone	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	ND	ND	Q3
Camphene	0.0010	ND	ND	Q3
Camphor	0.0010	ND	ND	Q3
Carvone	0.0010	ND	ND	Q3
Cedrol	0.0010	ND	ND	Q3

Analyte	LOQ %	Result %	Result mg/g	Q
cis-Nerolidol	0.0010	ND	ND	Q3
Citronellol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	ND	ND	Q3
Eucalyptol	0.0010	ND	ND	Q3
γ-Terpinene	0.0010	ND	ND	Q3
Geraniol	0.0010	ND	ND	Q3
Geranyl Acetate	0.0010	ND	ND	Q3
Guaiol	0.0010	ND	ND	Q3
Isoborneol	0.0010	ND	ND	Q3
Isobornyl Acetate	0.0010	ND	ND	Q3
Isopulegol	0.0010	ND	ND	Q3
m-Cymene	0.0010	ND	ND	Q3
Menthol	0.0010	ND	ND	Q3
Nerol	0.0010	ND	ND	Q3
Nootkatone	0.0010	ND	ND	Q3
o,p-Cymene	0.0010	ND	ND	Q3
Octyl Acetate	0.0010	ND	ND	Q3
Phytane	0.0010	ND	ND	Q3
Piperitone	0.0010	ND	ND	Q3
Pulegone	0.0010	ND	ND	Q3
Sabinene	0.0010	ND	ND	Q3
Sabinene Hydrate	0.0010	ND	ND	Q3
Terpinen-4-ol	0.0010	ND	ND	Q3
Thymol	0.0010	ND	ND	Q3
trans-Citral	0.0010	ND	ND	Q3
trans-beta-Ocimene	0.0010	ND	ND	Q3
Total		**2.9095**	**29.095**	

Primary Aromas

Cinnamon | Hops | Orange | Lavender | Chamomile

Date Tested: 02/23/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.

Anthony Settanni
Lab Director
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J)(1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices – Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:

Bryant Kearl
Chief Scientific Officer
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Customer Supplied Information:

Bryant Kearl
Chief Scientific Officer
02/24/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

USDD20xUSDD20.8.2026

Sample ID: 2602APO0749.3943
Strain: Ultra Sour Dubble Diesel 20 x Ultra Sour Dubble Diesel 20 LR
Matrix: Concentrates & Extracts
Type: Infused/Enhanced Preroll
Source Batch #: Ultra Sour Dubble Diesel 20.B20A.3.2026.

Collected: 02/19/2026 03:06 pm
Received: 02/19/2026
Completed: 02/24/2026
Batch #: USDD20xUSDD20.8.2026
Harvest Date: 01/12/2026

Client
Session
Lic. # 00000114DCPD00232092

Lot #:
Production/Manufacture Date: 02/17/2026
Production/Manufacture Method: Butane

Apollo Labs

Change Request Form

Client information	
Person(s) requesting change:	Fernanda Leyva
FA/LA# of person(s) requesting change:	1711049FAIM518605902
Organization Name/License #:	The Pharm / Sunday Goods LIC. # 00000099ESVM28064808
Date update requested:	2/19/2026
Initials of Requesting Individual:	FL

By signing this Change Request Form submitter understands Apollo Labs is not responsible for any compliance related matter caused by the change and that submitter's internal compliance professionals previously determined the change complies with applicable rules and regulations of the Arizona Department of Health Services.

FOR INTERNAL LABORATORY TRACKING USE ONLY	
Internal Tracking ID:	02192026-004
Individual(s) Performing CoA/Testing Request Update:	Darby Deak
Date(s) of change:	2/19/2026
Change tracking information updated:	Yes
Additional Notes:	

Change Index	Accessioning Number/Confident Cannabis ID	Field to be Changed	Original Value	Updated Value	Reason for Change
1	APO Order #2602APO0749.3941	Sample Name	WPxWP.6.2026	**WPxWP.8.2026**	Please updated week.
2	APO Order #2602APO0749.3942	Sample Name	MMxMM.6.2026	MMxMM.8.2026	Please updated week.
3	APO Order #2602APO0749.3943	**Sample Name**	**USDD20xUSDD20.6.2026**	**USDD20xUSDD20.8.2026**	Please updated week.
4	APO Order #2602APO0749.3944	Sample Name	J1xJ1.6.2026	J1xJ1.8.2026	Please updated week.
5	APO Order #2602APO0749.3941	External Batch ID	WPxWP.6.2026	WPxWP.8.2026	Please updated week.
6	APO Order #2602APO0749.3942	External Batch ID	MMxMM.6.2026	MMxMM.8.2026	Please updated week.
7	APO Order #2602APO0749.3943	External Batch ID	USDD20xUSDD20.6.2026	USDD20xUSDD20.8.2026	Please updated week.
8	APO Order #2602APO0749.3944	External Batch ID	J1xJ1.6.2026	J1xJ1.8.2026	Please updated week.
9					

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com
confident

ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.