

Final Product Information:	
Product Form	Flower
Strain	Ultra Sour Dubble Diesel 20
Batch ID	Ultra Sour Dubble Diesel 20.B6B.13.2026.
Harvest Date	3/23/2026
Distribution Chain:	
Cultivated By	Health Center of Cochise - 00000099ESVM28064808
Packaged By	Cardinal Square, Inc - 00000114DCPD00232092
Distributed By	Cardinal Square, Inc - 00000114DCPD00232092
Arizona Dept. of Health Services Warning:	
	Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child
	Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery.
	Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection.
	Marijuana use may affect the health of a pregnant woman and the unborn child.
	KEEP OUT OF REACH OF CHILDREN.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026

Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	04/02/2026	Complete
Terpenes	04/03/2026	Complete
Microbials	04/03/2026	Pass
Pesticides	04/01/2026	Pass
Heavy Metals	04/01/2026	Pass

Cannabinoids by SOP-6

Complete



Analyte	LOD %	LOQ %	Result %	Result mg/g	Q
THCa		0.1000	21.2917	212.917	
Δ9-THC		0.1000	0.8980	8.980	
Δ8-THC		0.1000	ND	ND	
THCV		0.1000	ND	ND	
CBDa		0.1000	<LOQ	<LOQ	
CBD		0.1000	ND	ND	
CBDVa		0.1000	ND	ND	
CBDV		0.1000	ND	ND	
CBN		0.1000	ND	ND	
CBGa		0.1000	1.4544	14.544	
CBG		0.1000	<LOQ	<LOQ	
CBC		0.1000	ND	ND	
Total THC			19.5708	195.7083	
Total CBD			ND	ND	
Total			23.6441	236.4411	

Date Tested: 04/02/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026

Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:

Pesticides by SOP-22

Pass

Analyte	LOQ	Limit	Result	Q	Status	Analyte	LOQ	Limit	Result	Q	Status
	PPM	PPM	PPM				PPM	PPM	PPM		
Abamectin	0.2500	0.5000	ND		Pass	Hexythiazox	0.5000	1.0000	ND		Pass
Acephate	0.2000	0.4000	ND		Pass	Imazalil	0.1000	0.2000	ND		Pass
Acetamiprid	0.1000	0.2000	ND		Pass	Imidacloprid	0.2000	0.4000	ND		Pass
Aldicarb	0.2000	0.4000	ND		Pass	Kresoxim Methyl	0.2000	0.4000	ND		Pass
Azoxystrobin	0.1000	0.2000	ND		Pass	Malathion	0.1000	0.2000	ND		Pass
Bifenazate	0.1000	0.2000	ND		Pass	Metalaxyl	0.1000	0.2000	ND		Pass
Bifenthrin	0.1000	0.2000	ND		Pass	Methiocarb	0.1000	0.2000	ND		Pass
Boscalid	0.2000	0.4000	ND		Pass	Methomyl	0.2000	0.4000	ND		Pass
Carbaryl	0.1000	0.2000	ND		Pass	Myclobutanil	0.1000	0.2000	ND		Pass
Carbofuran	0.1000	0.2000	ND		Pass	Naled	0.2500	0.5000	ND		Pass
Chlorantraniliprole	0.1000	0.2000	ND		Pass	Oxamyl	0.5000	1.0000	ND		Pass
Chlorfenapyr	0.5000	1.0000	ND		Pass	Paclbutrazol	0.2000	0.4000	ND		Pass
Chlorpyrifos	0.1000	0.2000	ND		Pass	Permethrins	0.1000	0.2000	ND		Pass
Clofentezine	0.1000	0.2000	ND		Pass	Phosmet	0.1000	0.2000	ND		Pass
Cyfluthrin	0.5000	1.0000	ND		Pass	Piperonyl	1.0000	2.0000	ND		Pass
Cypermethrin	0.5000	1.0000	ND		Pass	Butoxide	0.1000	0.2000	ND		Pass
Daminozide	0.5000	1.0000	ND	v1	Pass	Prallethrin	0.1000	0.2000	ND		Pass
Diazinon	0.1000	0.2000	ND		Pass	Propiconazole	0.2000	0.4000	ND		Pass
Dichlorvos	0.0500	0.1000	ND		Pass	Propoxur	0.1000	0.2000	ND		Pass
Dimethoate	0.1000	0.2000	ND		Pass	Pyrethrins	0.5000	1.0000	ND		Pass
Ethoprophos	0.1000	0.2000	ND		Pass	Pyridaben	0.1000	0.2000	ND		Pass
Etofenprox	0.2000	0.4000	ND		Pass	Spinosad	0.1000	0.2000	ND		Pass
Etoxazole	0.1000	0.2000	ND		Pass	Spiromesifen	0.1000	0.2000	ND		Pass
Fenoxycarb	0.1000	0.2000	ND		Pass	Spirotetramat	0.1000	0.2000	ND		Pass
Fenpyroximate	0.2000	0.4000	ND		Pass	Spiroxamine	0.2000	0.4000	ND		Pass
Fipronil	0.2000	0.4000	ND		Pass	Tebuconazole	0.2000	0.4000	ND		Pass
Flonicamid	0.5000	1.0000	ND		Pass	Thiacloprid	0.1000	0.2000	ND		Pass
Fludioxonil	0.2000	0.4000	ND		Pass	Thiamethoxam	0.1000	0.2000	ND		Pass
						Trifloxystrobin	0.1000	0.2000	ND		Pass

Date Tested: 04/01/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:

Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;

KEEP OUT OF REACH OF CHILDREN.

The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026

Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:

Microbials

Pass

Analyte	Limit	Result	Status	Q
Salmonella SPP by QPCR: SOP-15	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Flavus Aspergillus Fumigatus or Aspergillus Niger by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	
Aspergillus Terreus by QPCR: SOP-14	Detected/Not Detected in 1g	ND	Pass	

Analyte	LOQ	Limit	Result	Status	Q
E. Coli by traditional plating: SOP-13	CFU/g 10.0	CFU/g 100.0	CFU/g < 10 CFU/g	Pass	

Date Tested: 04/03/2026 12:00 am

Mycotoxins by SOP-22

Not Tested

Analyte	LOD	LOQ	Limit	Units	Status	Q
---------	-----	-----	-------	-------	--------	---

Date Tested:

Heavy Metals by SOP-21

Pass

Analyte	LOD	LOQ	Limit	Units	Status	Q
	PPM	PPM	PPM	PPM		
Arsenic	0.1000	0.1330	0.4000	ND	Pass	
Cadmium	0.1000	0.1330	0.4000	ND	Pass	
Lead	0.2500	0.3330	1.0000	ND	Pass	
Mercury	0.0500	0.0660	0.2000	ND	Pass	

Date Tested: 04/01/2026 07:00 am



Anthony Settanni

Anthony Settanni
Lab Director
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026


Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:

Terpenes

Analyte	LOQ	Result	Result	Q	Analyte	LOQ	Result	Result	Q
	%	%	mg/g			%	%	mg/g	
D,L-Limonene	0.0010	0.4774	4.774	Q3	α-Phellandrene	0.0010	ND	ND	Q3
β-Myrcene	0.0010	0.2987	2.987	Q3	α-Terpinene	0.0010	ND	ND	Q3
α-Humulene	0.0010	0.2563	2.563	Q3	Camphor	0.0010	ND	ND	Q3
trans-Nerolidol	0.0010	0.1086	1.086	Q3	Carvone	0.0010	ND	ND	Q3
α-Bisabolol	0.0010	0.1075	1.075	Q3	cis-Nerolidol	0.0010	ND	ND	Q3
cis-Farnesol	0.0010	0.1025	1.025	Q3	γ-Terpinene	0.0010	ND	ND	Q3
Linalool	0.0010	0.0974	0.974	Q3	Geranyl Acetate	0.0010	ND	ND	Q3
β-Pinene	0.0010	0.0808	0.808	Q3	Guaiol	0.0010	ND	ND	Q3
Endo-Fenchyl Alcohol	0.0010	0.0634	0.634	Q3	Isoborneol	0.0010	ND	ND	Q3
Cedrol	0.0010	0.0514	0.514	Q3	Isobornyl Acetate	0.0010	ND	ND	Q3
α-Terpineol	0.0010	0.0500	0.500	Q3	Isopulegol	0.0010	ND	ND	Q3
α-Pinene	0.0010	0.0467	0.467	Q3	m-Cymene	0.0010	ND	ND	Q3
Caryophyllene Oxide	0.0010	0.0389	0.389	Q3	Menthol	0.0010	ND	ND	Q3
Geraniol	0.0010	0.0186	0.186	Q3	L-Menthone	0.0010	ND	ND	Q3
Camphene	0.0010	0.0135	0.135	Q3	Nerol	0.0010	ND	ND	Q3
α-Thujone	0.0010	0.0116	0.116	Q3	Nootkatone	0.0010	ND	ND	Q3
D,L-Borneol	0.0010	0.0099	0.099	Q3	o,p-Cymene	0.0010	ND	ND	Q3
Citronellol	0.0010	0.0096	0.096	Q3	Octyl Acetate	0.0010	ND	ND	Q3
β-Caryophyllene	0.0010	0.0064	0.064	Q3	Piperitone	0.0010	ND	ND	Q3
Terpinolene	0.0010	0.0055	0.055	Q3	Pulegone	0.0010	ND	ND	Q3
Fenchone	0.0010	0.0032	0.032	Q3	Sabinene	0.0010	ND	ND	Q3
Eucalyptol	0.0010	0.0023	0.023	Q3	Thymol	0.0010	ND	ND	Q3
Terpinen-4-ol	0.0010	0.0020	0.020	Q3	trans-Citral	0.0010	ND	ND	Q3
Sabinene Hydrate	0.0010	0.0016	0.016	Q3	trans-beta-Ocimene	0.0010	<LOQ	<LOQ	Q3
3-Carene	0.0010	ND	ND	Q3	Valencene	0.0010	ND	ND	Q3
α-Cedrene	0.0010	ND	ND	Q3	Total		1.8635	18.635	

Primary Aromas



Date Tested: 04/03/2026 12:00 am
Terpenes analysis is not regulated by AZDHS.



Anthony Settanni
Anthony Settanni
Lab Director
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026

Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:

Qualifiers Definitions

Qualifier Notation	Qualifier Description
D1	The limit of quantitation and the sample results were adjusted to reflect sample dilution
I1	The relative intensity of a characteristic ion in a sample analyte exceeded the acceptance criteria in subsection (L)(1) with respect to the reference spectra, indicating interference
L1	When testing for pesticides, fungicides, herbicides, growth regulators, heavy metals, or residual solvents, the percent recovery of a laboratory control sample is greater than the acceptance limits in subsection (K)(2)(c), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
M1	The recovery from the matrix spike in subsection (K)(4) was: a. High, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M2	The recovery from the matrix spike in subsection (K)(4) was: b. Low, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
M3	The recovery from the matrix spike in subsection (K)(4) was: c. Unusable because the analyte concentration was disproportionate to the spike level, but the recovery from the laboratory control sample in subsection (K)(2) was within acceptance criteria
R1	The relative percent difference for the laboratory control sample and duplicate exceeded the limit in subsection (K)(3), but the recovery in subsection (K)(2) was within acceptance criteria
V1	The recovery from continuing calibration verification standards exceeded the acceptance limits in subsection (J) (1)(b), but the sample's target analytes were not detected above the maximum allowable concentrations in Table 3.1 for the analytes in the sample
Q1	Sample integrity was not maintained - Q1
Q2	The sample is heterogeneous, and sample homogeneity could not be readily achieved using routine laboratory practices - Used to denote that the sample as-received could not be fully pre-homogenized in packaging prior to microbiology analysis
Q3	Testing result is for informational purposes only and cannot be used to satisfy dispensary testing requirements in R9-17-317.01(A) or labeling requirements in R9-17-317

Notes and Addenda:



Bryant Kearl
Chief Scientific Officer
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.

Ultra Sour Dubble Diesel 20.B6B.13.2026.

Sample ID: 2603APO1437.7259
Strain: Ultra Sour Dubble Diesel 20
Matrix: Plant
Type: Flower - Cured
Source Batch #:

Collected: 03/31/2026 10:47 am
Received: 03/31/2026
Completed: 04/03/2026
Batch #: Ultra Sour Dubble Diesel
20.B6B.13.2026.
Harvest Date: 03/23/2026

Client
The Pharm / Sunday Goods
Lic. # 00000099ESVM28064808

Lot #:
Production/Manufacture Date:
Production/Manufacture Method:

Customer Supplied Information:



Bryant Kearl
Chief Scientific Officer
04/03/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ARIZONA DEPARTMENT OF HEALTH SERVICES' WARNING:
Marijuana use can be addictive and can impair an individual's ability to drive a motor vehicle or operate heavy machinery. Marijuana smoke contains carcinogens and can lead to an increased risk for cancer, tachycardia, hypertension, heart attack, and lung infection. Marijuana use may affect the health of a pregnant woman and the unborn child. Using marijuana during pregnancy could cause birth defects or other health issues to your unborn child;
KEEP OUT OF REACH OF CHILDREN.
The product associated with the COA has been tested by Apollo Labs using validated state certified testing methodologies as required by Arizona state law. Values reported herein relate only to the specific sample of product submitted by Client for testing. Apollo Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Apollo Labs.